Thursday, 6/21/2007 2:29:34 PM Date SPLIT-1 Kim Johnston User **Process Sheet** : BRACKET **Drawing Name** Customer : CU-DAR001 Dart Helicopters Services Job Number : 33066 Estimate Number : 11162 : D32641 : NIA Part Number P.O. Number : D3264 REV A : 6/21/2007 **Drawing Number** This Issue : N/A Project Number Prsht Rev. : MA Type : MACHINED PARTS **Drawing Revision** First Issue : 32201 Material Previous Run : 7/12/2007 Each **Due Date** Written By Checked & Approved By 04.09.02 New issue KJ/JLM : Est Comment Additional Product Job Number: Description: Machine Or Operation: Seq. #: 6061-T6 Bar 1.25" X 4.5" Comment: Qty.: 0.5097 f(s)/Unit Total: 3.0580 f(s) Material: 6061-T6/T651 (QQ-A-200/8 or 225/8) 0.500" thick (M6061T6B1.250x04.500) Identify for D3264-1 Batch: 117655 BAND SAW 20 Comment: BAND SAW Cut blanks: 4.500" x 1.250" x 5.700" long Bar HAAS CNC VERTICAL MACHINING #1 3.0 Comment: HAAS CNC VERTICAL MACHINING #1 Machine as per Folio FA447 and Dwg D3264 Identify as D3264-1 Deburn QC2 4.0 Comment: INSPECT PARTS AS THEY COME OFF MACHINE SECOND CHECK 5.0 QC8 Comment: SECOND CHECK

Dart Aerospace Ltd

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | ä |
| | | | | | | | |
| * | | | | | | | |
| | | | | | | A | |

| Part No: | PAR #: Fault Category: | | NCR: Yes No DQA: | Date: oftel3 |
|----------|------------------------|--|------------------|--------------|
| | | | QA: N/C Closed: | Date: |

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|---|----------------------|------------------------------|----------------|-----------|-----------------------|--------------------------|
| | | Description of NC Corrective Action Section B | | Verification | 76 | | | |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Section C | Approval Chief Eng | Approval QC Inspector |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | E. | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Thursday, 6/21/2007 2:29:34 PM Date: Kim Johnston User: **Process Sheet** Drawing Name: BRACKET Customer: CU-DAR001 Dart Helicopters Services Part Number: D32641 Job Number: 33066 Job Number: Description: Seq. #: Machine Or Operation: HAND FINISHING RESOURCE #1 HAND FINISHING1 6.0 Comment: HAND FINISHING RESOURCE #1 Chemical Conversion Coat as per QSI 005 4.1 POWDER COATING 7.0 M10 5068 Comment: POWDER COATING Powder Coat Gloss White (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSIO QC3 8.0 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify with P/N and B/N using a permanent fine point marker, then Støck Location: FINAL INSPECTION/W/O RELEASE QC21 10.0 Comment: FINAL INSPECTION/W/O RELEASE U St.08.30 Job Completion

| Dart Ae | rospace L | td | | | | | | | | | | |
|---------|-----------|--------------------------------|------------------------------|------------------------------|----------------|---------------------------|-------------------------------------|-------------------------|----|------------------|-----------------------|--------------------------|
| W/O: | | | Wo | ORK ORDER CHANGES | | | | | | | | |
| DATE | STEP | PRO | PROCEDURE CHANGE By Date Qty | | | | Approval Chief Eng / Prod Mgr | Approva QC Inspector | | | | |
| | | | | | | | | | 18 | | | |
| 9 | | | | | | | | | | | | |
| Part No | i | PAR #: | Fault Cate | gory: N | | | | | | | | |
| NCR: | | 1 | WORK ORDI | ER NON-CONFORMANO | | | a: | _ Date: _ | | | | |
| | | December of NO | | Corrective Action Section B | | | 7294 | G 70 | | | | |
| DATE | STEP | Description of NC Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Verification Section C | | n & Section C | | Sign & Section C | Approval Chief Eng | Approval QC Inspector |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

NOTE: Date & initial all entries

| DART AEROSPACE LTD | Work Order: | 33066 |
|------------------------------|--------------|-------------|
| Description: Bracket | Part Number: | D3264-1 |
| Inspection Dwg: D3264 Rev: A | 3 | Page 1 of 1 |

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

| Drawing Dimension | Tolerance | Actual Dimension | Accept | Reject | Method of Inspection | Comments |
|----------------------|---------------|---------------------|--------|--------|-------------------------|----------|
| 0.687 | +/-0.010 | 0.689 | | | | |
| 0.063 | +/-0.010 | 0.064 | _ | | | |
| 0.125 | +/-0.010 | 0.130 | | | | |
| 0.875 | +/-0.010 | 0.880 | | | | |
| 0.062 | +/-0.010 | 0.060 | | | | |
| R0.03 | +/-0.030 | RO.030 | _ | | | |
| R0.13 | +/-0.030 | R 0.130 | | | | |
| 1.00 | +/-0.030 | 1.007 | _ | | | |
| 0.125 | +/-0.010 | 0.127 | | | | |
| 0.600 | +/-0.010 | 0.598 | _ | | | |
| 4.000 | +/-0.005 | 3.999 | _ | | | |
| 0.750 | +/-0.010 | 0.753 | | | | |
| Ø0.194 | +0.005/-0.000 | 80.194 | | | | |
| 5.50 | +/-0.030 | 5.507 | _ | | | |
| 0.125 | +/-0.010 | 0.128 | _ | | | |
| 0.063 | +/-0.010 | 0.067 | _ | | | |
| R0.25 | +/-0.030 | RO.25 | J | | | |
| 4.27 | +/-0.030 | 4.277 | | | | |
| R0.30 | +/-0.030 | R0,30 | - | | | |


| Measured by: | me I | Audited by: | J.L. | Prototype Approval: | N/A |
|--------------|----------|-------------|----------|---------------------|-----|
| Date: | 07/08/24 | Date: | 03/08/24 | Date: | N/A |

| Rev | Date | Change | Revised by | Approved |
|-----|----------|--|------------|----------|
| Α | 04.09.03 | New Issue | KJ/JLM LA | 1 |
| B | | Ø0.194 was Ø0.208; dimensions removed | KJ/JLM A | Chil |
| | 00.04.20 | Do. for mas Doilles, amonatoris to the | .0 | 700/ |





| DESIGN | DRAWN BY | | OSPACE LTD ONTARIO, CANADA |
|----------|----------|----------------------|----------------------------|
| CHECKED | APPROVED | DRAWING NO. D3264 | REV. A SHEET 1 OF 1 |
| DATE | | TITLE | SCALE |
| 04.04.20 |) | BRACKET | 1:2 |
| A | 04.04.20 | NEW ISSUE | |



D3264-1:

1) MATERIAL: 6061-T6/T651 (QQ-A-200/8 OR QQ-A-225/8) (REF. DART SPEC. M6061T6B) UNCONTROLLE

SUBJECT TO AMENDMENT

WITHOUT NOTICE

- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 6) PART IS SYMMETRIC ABOUT CENTERLINE
- 7) IDENTIFY WITH DART P/N & B/N USING FINE POINT PERMANENT MARKER
- 8) ENGRAVE DART LOGO AS SHOWN USING 0.75 HIGH x 0.010 DEEP (MAX) LETTERS WITH (MIN) TOOL RADIUS OF 0.25

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.